

ZESTAWIENIE STALI

| POZ. | NUMER ELEMENTU | NAZWA ELEMENTU | DLUGOŚĆ [mm] | GATUNEK STALI | LICZBA SZTUK | DL. RAZEM [m] | MASA JEDN [kg/m] | MASA 1 ELEM [kg] | MASA RAZEM [kg] |
|--------------------------|----------------|----------------|--------------|---------------|--------------|---------------|------------------|------------------|-----------------|
| 3207.1 | 01 | Rp 160x80x3 | 4945 | St3S | 1 | 4.95 | 10.90 | 53.90 | 53.90 |
| | 02 | □ 50x50x4 | 75 | St3S | 6 | 0.45 | 5.23 | 0.39 | 2.35 |
| | 03 | BL 10x160 | 220 | St3SX | 1 | 0.22 | 12.56 | 2.76 | 2.76 |
| | 04 | Rp 150x70x5 | 330 | St3S | 1 | 0.33 | 16.00 | 5.28 | 5.28 |
| | 05 | BL 8x90 | 303 | St3SX | 1 | 0.30 | 5.65 | 1.71 | 1.71 |
| | 06 | ∅ 12 St3S | 80 | St3S | 2 | 0.16 | 0.89 | 0.07 | 0.14 |
| OGÓŁEM | | | | | | | | | 66.14 |
| NADDATEK NA SPOINY: 1.8% | | | | | | | | | 1.19 |
| RAZEM: | | | | | | | | | 67.33 |
| WYKONAĆ: x 2 | | | | | | | | | 134.66 |

ZESTAWIENIE STALI

| POZ. | NUMER ELEMENTU | NAZWA ELEMENTU | DLUGOŚĆ [mm] | GATUNEK STALI | LICZBA SZTUK | DL. RAZEM [m] | MASA JEDN [kg/m] | MASA 1 ELEM [kg] | MASA RAZEM [kg] |
|--------------------------|----------------|----------------|--------------|---------------|--------------|---------------|------------------|------------------|-----------------|
| 3208.1 | 01 | Rp 160x80x3 | 4945 | St3S | 1 | 4.95 | 10.90 | 53.90 | 53.90 |
| | 02 | □ 50x50x4 | 75 | St3S | 3 | 0.23 | 5.23 | 0.39 | 1.18 |
| | 03 | BL 10x160 | 220 | St3SX | 1 | 0.22 | 12.56 | 2.76 | 2.76 |
| | 04 | Rp 150x70x5 | 330 | St3S | 1 | 0.33 | 16.00 | 5.28 | 5.28 |
| | 05 | BL 8x90 | 303 | St3SX | 1 | 0.30 | 5.65 | 1.71 | 1.71 |
| | 06 | ∅ 12 St3S | 80 | St3S | 2 | 0.16 | 0.89 | 0.07 | 0.14 |
| OGÓŁEM | | | | | | | | | 64.97 |
| NADDATEK NA SPOINY: 1.8% | | | | | | | | | 1.17 |
| RAZEM: | | | | | | | | | 66.14 |
| WYKONAĆ: x 1 | | | | | | | | | 66.14 |

ZESTAWIENIE STALI

| POZ. | NUMER ELEMENTU | NAZWA ELEMENTU | DLUGOŚĆ [mm] | GATUNEK STALI | LICZBA SZTUK | DL. RAZEM [m] | MASA JEDN [kg/m] | MASA 1 ELEM [kg] | MASA RAZEM [kg] |
|--------------------------|----------------|----------------|--------------|---------------|--------------|---------------|------------------|------------------|-----------------|
| 3209.1 | 01 | Rp 160x80x3 | 4945 | St3S | 1 | 4.95 | 10.90 | 53.90 | 53.90 |
| | 02 | □ 50x50x4 | 75 | St3S | 3 | 0.23 | 5.23 | 0.39 | 1.18 |
| | 03 | BL 10x160 | 220 | St3SX | 1 | 0.22 | 12.56 | 2.76 | 2.76 |
| | 04 | Rp 150x70x5 | 330 | St3S | 1 | 0.33 | 16.00 | 5.28 | 5.28 |
| | 05 | BL 8x90 | 303 | St3SX | 1 | 0.30 | 5.65 | 1.71 | 1.71 |
| | 06 | ∅ 12 St3S | 80 | St3S | 2 | 0.16 | 0.89 | 0.07 | 0.14 |
| OGÓŁEM | | | | | | | | | 64.97 |
| NADDATEK NA SPOINY: 1.8% | | | | | | | | | 1.17 |
| RAZEM: | | | | | | | | | 66.14 |
| WYKONAĆ: x 1 | | | | | | | | | 66.14 |

UWAGA:
1. WOKÓŁ STUPA SZCZELINA DYLATACYJNA W POSADZCE ZAPEWNIAJĄCA SWOBODNY PRZESUW STUPA

